

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Photo-Cured Resin, SR100-CS

1.2. Relevant identified uses of the substance or mixture and uses advised against Stereolithography Resin

1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Vertex-Dental B.V.

Address: P.O. Box 103700 AA Zeist The Netherlands

Emergency telephone number: +31 88 6160 487 (only available during office hours)

Suppliere's name: Roland DG Corporation

Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi,

Shizuoka-ken, 431-2103

JAPAN

Phone: + 81-53-484-1224 Fax: + 81-53-484-1226

Prepared date: 30 August, 2017

2. Hazard identification

2.1. Classification of the substance or mixture

This product is classified as dangerous according to GHS.

Skin sensitazation - skin Category 1
Eye damage/irritation Category 2A

2.2. GHS label elements, incliding precautionary statements

Pictogram



Signal word(s) Warning Hazard statement(s)

May cause an allergic skin reaction. Causes serious eye irritation.



Precautionary statement(s)

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Response IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Potential Health Effects:

Eyes: Causes severe eye injury which may persist for several days.

Skin: Contact with skin may cause irritation, swelling or redness, allergic sensitization.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause upset stomach.

Chronic Health Hazards: Repeated skin contact may cause a persistent irritation or dermatitis.

Carcinogenicity: None of the ingredients in this resin is listed by IARC as a carcinogen. (1,2A and 2B)

3. Composition/information on ingredients

Chemical nature: mixture

Chemical material material						
Composition	CAS No.	EC No.	EU registration No.	% By Weight	Classification EC No. 1272/2008	
Methacrylic oligomer	-	-	N/A for the moment	>65	Skin Sens. 1: H317	
Glycol Methacrylate	-	1	N/A for the moment	15 - 25	Skin Sens. 1: H317 Eye Irrit. 2: H319	
Phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide	162881-26-7	423-340-5	N/A for the moment	<2.5	Skin Sens. 1: H317 Aquatic Chronic 4: H413	

^{*}For the full text of the H-Statements mentioned in this Section, see Section 16.



4. First aid measures

4.1. Description of first aid measures

Eyes: In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open

during flushing. Call a physician.

Skin: In case of contact, immediately flush with plenty of water while removing contaminated clothing

and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a

physician.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Call a physician.

Ingestion: If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Eyes: Causes severe eye injury which may persist for several days.

Skin: Contact with skin may cause irritation, swelling or redness, allergic sensitization.

Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia.

Ingestion: May cause injury of mouth ,throat, and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

No information

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: >93deg.C

5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus(SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.



6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

6.2. Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3. Specific end use(s): Stereolithography Resin

8. Exposure controls/ personal protection

8.1. Control parameters

Occupational Exposure Limits:

DNEL(Derived No Effect Level)

components	Long term exposure	Short term exposure		
Glycol Methacrylate	4.9mg/m ³	-		
Phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide	21mg/m ³	-		

Workers - Hazard via inhalation route



8.2 Exposure controls:

Appropriate engineering controls: Provide general and/or local exhaust ventilation.

Eye protection: When handling the resin, wear safety glasses or chemical splash goggles.

Skin protection: When handling the resin, wear protective clothing.

Hand protection: When handling the resin or washing the multiple job, use protective gloves.

Recommended Chemical Protective Gloves are ethylene vinyl alcohol (EVA) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVA sealed between layers of

polyethylene.

Respiratory protection: In case ventilation is insufficient, employee must use NIOSH approved air purifying

respiratory protection equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge. For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators

do not protect workers in oxygen-deficient atmospheres.

Hygiene measures: Wash hands after handling. In case contact with clothing, wash before reuse.Do not

eat, drink or smoke in handling or storage area.

Environmental exposure controls: Avoid release to the environment.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Purple/red viscous liquid

Odor: Ester like

Odour threshold:

pH:

Not applicable

Melting point/freezing point:

No data available

No data available

No data available

Initial boiling point and boiling range:

No data available

Flash point (deg.C)

> 93deg.C

Evaporation rate: No data available Flammability(solid,gas): Not applicable Upper/lower flammability or No data available

explosive limits:

Vapor pressure:

Vapor density:

Relative density:

Solubility:

No data available

No data available

No data available

No data available

Solubility(ies): Water solubility: Slightly soluble

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available

Viscosity:

No data available

Explosive properties:

No data available

Oxidizing properties:

No data available

Volatile organic compounds (VOC)

No data available

content:

9.2. Other information: No information





10. Stability and reactivity

10.1. Reactivity: High temperatures and UV light may cause rapid polymerization.

10.2. Chemical stability: Polymerize under heat and/or light.

10.3. Possibility of hazardous reactions: Not expected

10.4. Conditions to avoid: Elevated temperatures/heat, UV light, when not in use.

10.5. Incompatible materials: Avoid contact with acids, amines, free radical initiators, oxidizing agents.

10.6. Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity:

Glycol methacrylate

LD50 (Oral-rat) >5000 mg/kg LD50 (Dermal-rabbit) >5000 mg/kg

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

LD50 (Dermal-rat) >2000 mg/kg

Serious eye damage/eye irritation: No data available

Causes serious eye irritation.(Glycol Methacrylate)

Skin corrosion/irritation: No data available Respiratory or skin sensitisation: No data available

May cause an allergic skin reaction. (Methacrylic oligomer, Phenyl bis(2,4,6-

trimethylbenzoyl)-phosphine oxide)

Germ cell mutagenicity: No data available Reproductive toxicity: No data available

Carcinogenicity: None of the ingredients in this product is listed by IARC as a carcinogen. (1,2A and

STOT-single exposure: No data available STOT-repeated exposure: No data available Aspiration hazard: No data available

12. Ecological information

12.1. Toxicity:

No data available
12.2. Persistence and degradability:
No data available
12.3. Bioaccumulative potential:
No data available
12.4. Mobility in soil:
No data available

12.5. Results of PBT and vPvB assessment: Has not carried out PBT and vPvB assessment.

12.6. Other adverse effects: No data available

13. Disposal considerations

13.1. Waste treatment methods:

This product is considered as a hazardous waste according to Directive 2008/98/EC.

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial and Local regulations. Do not flush to surface water or sanitary sewer system.



14. Transport information

14.1. UN Class/UN Number:

ADR/ADG/DOT, IMDG, or IATA: Not regulated

14.2. UN proper shipping name:

ADR/ADG/DOT, IMDG, or IATA: Not regulated

14.3. Transport hazard class(es):

ADR/ADG/DOT, IMDG, or IATA: Not regulated

14.4. Packing group:

ADR/ADG/DOT, IMDG, or IATA: Not regulated

14.5. Environmental hazards:

ADR/ADG/DOT, IMDG, or IATA: Not regulated

14.6. Special precautions for user: Transport and storage of the product in accordance with general

precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:

Not regulated

15. Regulatory information

EU information:

Chemical Safety Assessment according to (EC)1907/2006:

This product has not carried out any Chemical Safety Assessment yet.

Australia Information:

Hazardous statement: Classified as hazardous according to NOHSC criteria.

International Information:

None of the ingredients in this resin is listed by IARC as a carcinogen. (1,2A and 2B)

16. Other information

List of relevant H-Statements:

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.